



## SCALE INSECTS (COCCOMORPHA) ASSOCIATED WITH FOREST TREES IN BULGARIA

KATIA TRENCHIEVA<sup>1\*</sup> AND SNEJANA GROZEVA<sup>2</sup>

<sup>1</sup>University of Forestry, Plant Protection Department, 10 Kliment Ohridski Blvd., 1797, Sofia, Bulgaria

<sup>2</sup>Institute of Biodiversity and Ecosystem Research, Bulgarian Academy of Sciences, Blvd.,  
Tsar Osvoboditel 1, Sofia 1000, Bulgaria

\*Email: k\_trencheva@yahoo.com (corresponding author): ORCID ID 0000-0001-5406-9140

### ABSTRACT

Scale insects associated with forest trees recorded to date in Bulgaria is presented. The data provided here are based on literature records and on the collections made by the authors and include the latest taxonomic and nomenclatural changes and updates on Coccoomorpha reported in Bulgaria. A total of 56 species belonging to 26 genera and 8 families are included in the list. The paper provides information about scale insects associated with forest trees in Bulgaria in last 84 years, since the first list in 1938 was published.

**Key words:** Coccoomorpha, scale insects, checklist, forest trees, Bulgaria, species, genera, families, checklist, taxonomy, nomenclatural changes, diversity, host plants

Climate change is expected to have many biotic and abiotic effects on forest ecosystems (Dale et al., 2001; Allen et al., 2010; Frank, 2021). Scale insects (Hemiptera: Coccoomorpha) infest many tree species and are among the most important arthropod pests of trees in urban and rural forests, plantations and other forest systems (Drooz, 1985; Gill and Kosztarab, 1997; Frank, 2019; Frank, 2021). Scale insects can kill or sicken trees across vast geographic areas (Preisser et al., 2008; Schulz et al., 2018; Frank, 2021), thereby changing the structure and functions of forest ecosystems (McGee, 2000; Ellison et al., 2005; Morin and Liebhold, 2015; Frank, 2021). In addition, scale insects are easily transported around the world and are among the most commonly introduced arthropod taxa (Debach and Rosen, 1976; Miller et al., 2005; Mazzeo et al., 2014; Brockerhoff and Liebhold, 2017; Frank, 2021). The scale insects of Bulgaria are a comparatively well-studied group. According to García Morales et al. (2016) the number of species found in Bulgaria are 150 in 13 families and 77 genera. Fifty-six of these are associated with forest trees. The number of species now known in Bulgaria in each family is as follows (García Morales et al., 2016): Diaspididae 49 species in 21 genera; Pseudococcidae 33 species in 18 genera; Coccidae 34 species in 18 genera; Eriococcidae 12 species in 6 genera; Asterolecaniidae 6 species in 2 genera; Kermesidae 4 species in 1 genus, Ortheziidae 3 species in 3 genera, Cryptococcidae 2 species in 2 genera; Rhizoecidae 2 species in 2 genera; and Matsucoccidae 2 species in 1 genus; Cerococcidae, Monophlebidae and Putoidae each have only 1 species in 1 genus. The article provides information about the

scale insects associated with forest trees in Bulgaria in last 84 years, since the first list in 1938 was published.

### MATERIALS AND METHODS

This list is based on bibliographic sources and on collections made by the authors and provides information about scale insects associated with forest trees recorded to date in Bulgaria. The nomenclature used here for the Coccoomorpha follows the ScaleNet database (García Morales et al., 2016). This study presents the results of an intensive literature search and some recent surveys of Coccoomorpha in Bulgaria. Few previous studies on this group in Bulgaria are also summarised. Families and species as concluded in this study are listed in alphabetical order (Table 1).

### RESULTS AND DISCUSSION

The scale insects of Bulgaria are a comparatively well-studied group are the first list of Coccoomorpha was published by Chorbazdzhev in 1938, he included 23 species on 24 host plants. Later studies are those of Lazarov (1940); Buresh and Lazarov (1956); Tsalev (1968); Kozar et al. (1979); Grigorov (1976); Trenchev (1987); Staneva (1992, 2003); Pencheva (1995, 2007); Hodgson and Trencheva (2008); Trencheva et al. (2009); Gavrillov (2010) and Trencheva et al. (2010). The most substantial contribution was made by Tsalev (1968), who listed 89 species belonging to 8 families, 55 new to Bulgaria. According to ScaleNet database (García Morales et al., 2016), Bulgaria currently has some 150 species, of which 56 associated with forest trees.

Table 1. Checklist of species of Coccoomorpha associated with forest trees in Bulgaria

| Family/ Species                              | Validation source and host plants                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Asterolecaniidae</b>                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <i>Asterodiaspis bella</i> (Russell)         | <i>Quercus pubescens</i> (Kozar et al., 1979)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <i>Asterodiaspis quercicola</i> (Bouche)     | <i>Quercus pubescens</i> f. <i>polymorpha</i> , <i>Quercus</i> sp. (Kozar et al., 1979)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <i>Asterodiaspis repugnans</i> (Russell)     | <i>Quercus</i> sp. (Trencheva et al., 2009)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <i>Asterodiaspis roboris</i> (Russell)       | <i>Quercus pubescens</i> f. <i>polymorpha</i> (Kozar et al., 1979)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <i>Asterodiaspis variolosa</i> (Ratzeburg)   | <i>Quercus frainetto</i> , <i>Quercus pubescens</i> , <i>Quercus cerris</i> (Tsalev and Vulcheva, 1963); <i>Quercus</i> sp. (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Coccidae</b>                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <i>Eulecanium ciliatum</i> (Douglas)         | <i>Quercus</i> sp. (Tsalev, 1968; Trencheva et al., 2009)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <i>Eulecanium sericeum</i> (Lindinger)       | <i>Abies pinsapo</i> (Ruskov, 1928; Buresh and Lazarov, 1956)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <i>Eulecanium tiliae</i> (L)                 | <i>Acacia</i> sp., <i>Cornus</i> sp., <i>Corylus</i> sp., <i>Acer</i> sp. (Buresh and Lazarov, 1956); <i>Tilia cordata</i> , <i>Tilia</i> sp., <i>Aesculus hippocastanum</i> (Tsalev, 1968); <i>Quercus</i> sp., <i>Quercus polycarpa</i> (Trencheva et al., 2009)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <i>Parthenolecanium corni corni</i> (Bouche) | <i>Fraxinus</i> sp., <i>Acacia</i> sp., (Chorbadjiev, 1938); <i>Acacia</i> sp., <i>Aesculus hippocastanum</i> , <i>Fraxinus</i> sp., <i>Carpinus</i> sp., (Buresh and Lazarov, 1956); <i>Gleditschia triacanthos</i> , <i>Robinia pseudoacacia</i> , <i>Sorbus</i> sp., <i>Platanus orientalis</i> , <i>Crataegus</i> sp., <i>Tilia</i> sp., <i>Acer</i> sp., <i>Aesculus hippocastanum</i> , <i>Cornus</i> sp., <i>Corylus avellana</i> , <i>Betula</i> sp., <i>Alnus glutinosa</i> , <i>Quercus</i> sp. <i>Fraxinus</i> sp., <i>Salix</i> sp., <i>Ulmus</i> sp., <i>Populus</i> sp., <i>Caragana</i> sp. (Tsalev, 1968); <i>Corylus</i> sp., <i>Robinia pseudoacacia</i> (Grigorov, 1976); <i>Fraxinus excelsior</i> ; <i>Caragana arborescens</i> (Kozar et al., 1979) |
| <i>Parthenolecanium persicae</i> (F)         | <i>Fraxinus excelsior</i> (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <i>Parthenolecanium rufulum</i> (Cockerell)  | <i>Quercus robur</i> (Chorbadjiev, 1938); <i>Quercus</i> sp. (Buresh and Lazarov, 1956); <i>Quercus</i> sp., <i>Ulmus</i> sp., <i>Carpinus</i> sp., <i>Castanea vesca</i> , <i>Corylus avellana</i> , <i>Acer</i> sp. (Tsalev and Vulcheva, 1965); <i>Quercus</i> sp., <i>Castanea vesca</i> , <i>Corylus avellana</i> , <i>Ulmus</i> sp., (Tsalev, 1968); <i>Quercus</i> sp., <i>Quercus polycarpa</i> , <i>Quercus frainetto</i> , <i>Quercus pubescens</i> (Trencheva et al., 2009)                                                                                                                                                                                                                                                                                    |
| <i>Phyllostroma myrtilli</i> (Kaltenbach)    | <i>Picea abies</i> (Gavrilov, 2010)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <i>Physokermes hemicryphus</i> (Dalman)      | <i>Picea abies</i> (Kozar et al., 1979; Gavrilov, 2010)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <i>Physokermes piceae</i> (Schrank)          | <i>Picea excelsa</i> (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <i>Pulvinaria vitis</i> (L)                  | <i>Betula pendula</i> , <i>Betula verrucosa</i> , <i>Betula pubescens</i> , <i>Salix babylonica</i> , <i>Salix</i> sp., <i>Populus pyramidalis</i> , <i>Populus canadensis</i> , <i>Populus</i> sp., (Tsalev, 1968); <i>Crataegus</i> sp., <i>Ulmus</i> sp., <i>Populus</i> sp., <i>Salix</i> sp., <i>Alnus</i> sp., (Grigorov, 1976)                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <i>Pulvinaria kuwacola</i> Kuwana            | <i>Tilia</i> sp., <i>Cornus mas</i> , <i>Crataegus</i> sp. (Trencheva and Tomov, 2014)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Cryptococcidae</b>                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <i>Cryptococcus fagisuga</i> Lindinger       | <i>Fagus</i> sp. (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <i>Pseudochermes fraxini</i> (Kaltenbach)    | <i>Fraxinus</i> sp. (Chorbadjiev, 1938); <i>Fraxinus excelsior</i> (Tsalev, 1968; Kozar et al., 1979)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Diaspididae</b>                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <i>Aulacaspis rosae</i> (Bouche)             | <i>Fagus</i> sp., <i>Quercus</i> sp. (Buresh and Lazarov, 1956)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <i>Chionaspis salicis</i> (L)                | <i>Populus</i> sp., (Chorbadjiev, 1938); <i>Acacia</i> sp., <i>Salix</i> sp., <i>Populus</i> sp., <i>Ulmus</i> sp., <i>Tilia</i> sp., <i>Fraxinus</i> sp. (Buresh and Lazarov, 1956); <i>Salix</i> sp. (Kozar et al., 1979); <i>Populus</i> sp., <i>Alnus glutinosa</i> , <i>Alnus</i> sp. (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <i>Comstockaspis perniciosa</i> (Comstock)   | <i>Crataegus</i> sp., <i>Sorbus aucuparia</i> , <i>Salix</i> sp., <i>Salix purpurea</i> , <i>Salix caprea</i> , <i>Populus</i> sp., <i>Tilia</i> sp., <i>Ulmus campestris</i> (Stanev, 1963); <i>Sorbus</i> sp., <i>Ulmus campestris</i> , <i>Crataegus</i> sp., <i>Syringa vulgaris</i> , <i>Tilia</i> sp., <i>Salix caprea</i> , <i>Salix</i> sp., (Tsalev, 1968); <i>Crataegus</i> sp. (Trencheva et al., 2010; Trencheva et al., 2012)                                                                                                                                                                                                                                                                                                                                |
| <i>Diaspidiotus gigas</i> (Thiem & Gerneck)  | <i>Populus alba</i> , <i>Populus nigra</i> , <i>Populus tremula</i> , <i>Populus pyramidalis</i> , <i>Populus</i> sp., <i>Salix</i> sp. (Tsalev, 1968); <i>Populus pyramidalis</i> , <i>Salix alba</i> (Kozar et al., 1979)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <i>Diaspidiotus lenticularis</i> (Lindinger) | <i>Fraxinus excelsior</i> (Kozar et al., 1979; Staneva, 2003)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

(...contd.)

(contd. Table 1)

|                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Diaspidiotus marani</i> (Zahradnik)               | <i>Crataegus monogyna</i> , <i>Fraxinus</i> sp. (Stanev, 1964); <i>Crataegus</i> sp., <i>Fraxinus</i> sp., <i>Fraxinus excelsior</i> (Tsalev, 1968); <i>Crataegus monogyna</i> , <i>Fraxinus</i> sp. (Staneva, 2003)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <i>Diaspidiotus osborni</i> (Newell & Cockerell)     | <i>Platanus orientalis</i> (Kozar et al., 1979)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <i>Diaspidiotus ostreaeformis</i> (Curtis)           | <i>Ulmus</i> sp., <i>Fraxinus</i> sp., <i>Quercus</i> sp., <i>Fagus</i> sp., <i>Tilia</i> sp., (Chorbadjiev, 1938); <i>Ulmus</i> sp., <i>Fagus</i> sp., <i>Quercus</i> sp., <i>Tilia</i> sp., <i>Fraxinus</i> sp. (Buresh and Lazarov, 1956); <i>Crataegus</i> sp., <i>Fraxinus excelsior</i> , <i>Acacia</i> sp., <i>Betula verrucosa</i> ( <i>Betula pendula</i> ), <i>Betula</i> sp., <i>Tilia cordata</i> , <i>Tilia</i> sp., <i>Caragana</i> sp., <i>Sorbus</i> sp., <i>Cornus</i> sp., <i>Salix</i> sp., <i>Aesculus</i> sp., <i>Populus</i> sp. (Tsalev, 1968); <i>Crataegus monogyna</i> , <i>Salix</i> sp., <i>Betula</i> sp., <i>Populus</i> sp., <i>Tilia</i> sp., <i>Quercus</i> sp. (Grigorov, 1976)                                                                                                                                                                                                                                                                             |
| <i>Diaspidiotus pyri</i> (Lichtenstein)              | <i>Crataegus monogyna</i> , <i>Fraxinus</i> sp., (Lazarov, 1940); <i>Sorbus</i> sp., <i>Fraxinus excelsior</i> , <i>Platanus orientalis</i> , <i>Betula</i> sp., <i>Crataegus</i> sp., <i>Cornus</i> sp. (Tsalev, 1968); <i>Crataegus monogyna</i> , <i>Fraxinus</i> sp. <i>Plantanus orientalis</i> , <i>Betula</i> sp. <i>Sorbus</i> sp., <i>Cornus</i> sp. (Grigorov, 1976)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <i>Diaspidiotus wuenni</i> (Lindinger)               | <i>Quercus</i> sp. (Stanev, 1964; Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <i>Diaspidiotus zonatus</i> (Frauenfeld)             | <i>Quercus</i> sp., <i>Quercus robur</i> (Stanev, 1964; Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <i>Dynaspidiotus abietis</i> (Schrank)               | <i>Pinus sylvestris</i> , <i>Picea excelsa</i> (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <i>Epidiaspis leperii</i> (Signoret)                 | <i>Aesculus hippocastanum</i> (Tsalev, 1968, Grigorov, 1976)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <i>Epidiaspis gennadii</i> (Leonardi)                | <i>Pistacia terebinthus</i> (Gorgiev et al., 2012)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <i>Lepidosaphes malicola</i> Borchsenius             | <i>Aesculus hippocastanum</i> (Trenchev, 1987)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <i>Lepidosaphes newsteadi</i> (Sulc)                 | <i>Pinus sylvestris</i> (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <i>Lepidosaphes conchiformis</i> (Gmelin)            | <i>Ulmus campestris</i> , <i>Ulmus</i> sp. (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <i>Lepidosaphes ulmi</i> (L)                         | <i>Fraxinus</i> sp., <i>Salix</i> sp., <i>Populus</i> sp., <i>Ulmus</i> sp., <i>Quercus</i> sp., <i>Fagus</i> sp., (Chorbadjiev, 1938); <i>Salix</i> sp., <i>Crataegus</i> sp., <i>Betula</i> sp., <i>Quercus</i> sp., <i>Populus</i> sp., <i>Fraxinus</i> sp. (Buresh and Lazarov, 1956); <i>Fraxinus excelsior</i> , <i>Fraxinus</i> sp., <i>Celtis</i> sp., <i>Crataegus</i> sp., <i>Sorbus</i> sp., <i>Cornus</i> sp., <i>Quercus</i> sp., <i>Betula pendula</i> , <i>Betula</i> sp., <i>Alnus</i> sp., <i>Crataegus</i> sp., <i>Populus alba</i> , <i>Populus nigra</i> , <i>Populus tremula</i> , <i>Populus pyramidalis</i> , <i>Populus</i> sp., <i>Salix alba</i> , <i>Salix caprea</i> , <i>Salix</i> sp., <i>Fraxinus</i> sp. (Tsalev, 1968); <i>Fraxinus</i> sp., <i>Betula</i> sp., <i>Crataegus monogyna</i> , <i>Salix</i> sp., <i>Quercus</i> sp., <i>Alnus</i> sp., <i>Sorbus</i> sp., <i>Cornus</i> sp. (Grigorov, 1976); <i>Quercus pubescens</i> (Trencheva et al., 2009) |
| <i>Leucaspis lowi</i> Colvee                         | <i>Pinus</i> sp. (Chorbadjiev, 1938); <i>Pinus sylvestris</i> , <i>Pinus nigra</i> (Tsalev, 1968); <i>Pinus nigra</i> (Kozar et al., 1979); <i>Pinus nigra</i> , <i>Pinus excelsa</i> , <i>Pinus strobus</i> , <i>Pinus maritima</i> , <i>Pinus sylvestris</i> , <i>Pinus peuce</i> , <i>Pinus ponderosa</i> , <i>Pinus montana</i> , <i>Pinus jeffreyi</i> (Pencheva, 2000)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <i>Leucaspis pini</i> (Hartig)                       | <i>Pinus</i> sp., <i>Pinus sylvestris</i> , <i>Pinus nigra</i> (Buresh and Lazarov, 1956); <i>Pinus sylvestris</i> , <i>Pinus nigra</i> (Tsalev, 1968); <i>Pinus maritima</i> , <i>Pinus nigra</i> (Pencheva, 2000)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <i>Leucaspis pusilla</i> Low                         | <i>Pinus sylvestris</i> , <i>Pinus nigra</i> , <i>Pinus</i> sp. (Tsalev, 1968); <i>Pinus nigra</i> , <i>Pinus excelsa</i> , <i>Pinus strobus</i> , <i>Pinus halepensis</i> , <i>Pinus pinea</i> , <i>Pinus maritima</i> , <i>Pinus sylvestris</i> (Pencheva, 2000)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <i>Parlatoria oleae</i> (Colvee)*                    | <i>Fraxinus excelsior</i> , <i>Cornus</i> sp., (Lazarov, 1940); <i>Fraxinus excelsior</i> , <i>Cornus</i> sp., (Tsalev, 1968); <i>Fraxinus</i> sp., <i>Fraxinus excelsior</i> , <i>Cornus</i> sp., (Grigorov, 1976)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <i>Parlatoria parlatoriae</i> (Sulc)                 | <i>Picea</i> sp. (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <i>Pseudaulacaspis pentagona</i> (Targioni Tozzetti) | <i>Salix</i> sp., <i>Cornus</i> sp., <i>Syringa vulgaris</i> , <i>Acacia</i> sp., (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <i>Targionia vitis</i> (Signoret)                    | <i>Quercus pedunculata</i> (Stanev, 1964; Tsalev, 1968); <i>Quercus pubescens</i> (Kozar et al., 1979 ; <i>Quercus</i> sp. (Trencheva et al., 2009)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Eriococcidae                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <i>Acanthococcus aceris</i> Signoret                 | <i>Acer</i> sp. (Tsalev, 1968); <i>Quercus</i> sp. (Gavrilov, 2010)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

(...contd.)

(contd... Table 1)

|                                                       |                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Acantococcus melnikensis</i> (Hodgson & Trencheva) | <i>Quercus pubescens</i> (Hodgson and Trencheva, 2008)                                                                                                                                                                                                                                                                                                                                   |
| <i>Gossyparia spuria</i> (Modeer)                     | <i>Ulmus</i> sp. (Chorbadjiev, 1938; Tsalev, 1968; Kozar et al., 1979)                                                                                                                                                                                                                                                                                                                   |
| <b>Kermesidae</b>                                     |                                                                                                                                                                                                                                                                                                                                                                                          |
| <i>Kermes gibbosus</i> Signoret                       | <i>Quercus</i> sp. (Tsalev, 1968; Trencheva et al., 2009; Gavrilov, 2010)                                                                                                                                                                                                                                                                                                                |
| <i>Kermes quercus</i> (L)                             | <i>Quercus</i> sp. (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                        |
| <i>Kermes nakagawae</i> Kuwana                        | <i>Quercus</i> sp. (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                        |
| <i>Kermes roboris</i> (Fourcroy)                      | <i>Quercus</i> sp. (Tsalev, 1968; Trencheva et al., 2009; Gavrilov, 2010)                                                                                                                                                                                                                                                                                                                |
| <b>Matsucoccidae</b>                                  |                                                                                                                                                                                                                                                                                                                                                                                          |
| <i>Matsucoccus feytaudi</i> Ducasse                   | <i>Pinus nigra</i> (Kozar et al., 1979)                                                                                                                                                                                                                                                                                                                                                  |
| <i>Matsucoccus pini</i> Green                         | <i>Pinus</i> sp. (Foldi, 2005)                                                                                                                                                                                                                                                                                                                                                           |
| <b>Pseudococcidae</b>                                 |                                                                                                                                                                                                                                                                                                                                                                                          |
| <i>Phenacoccus aceris</i> (Signoret)                  | <i>Acer saccharinum</i> , <i>Fraxinus angustifolia</i> (Lazarov & Grigorov, 1960); <i>Fraxinus excelsior</i> , <i>Fraxinus</i> sp., <i>Crataegus</i> sp., <i>Acer</i> sp., <i>Caragana</i> sp. (Tsalev, 1968); <i>Fraxinus</i> sp., <i>Crataegus</i> sp., <i>Tilia</i> sp., <i>Quercus</i> sp., <i>Ulmus</i> sp., <i>Aesculus hippocastanum</i> , <i>Acer campestre</i> (Grigorov, 1976) |
| <i>Phenacoccus piceae</i> (Loew)                      | <i>Picea abies</i> (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                                                        |
| <i>Planococcus vovae</i> (Nasonov)                    | <i>Juniperus communis</i> , <i>Juniperus</i> sp. (Tsalev, 1968)                                                                                                                                                                                                                                                                                                                          |
| <i>Pseudococcus viburni</i> (Signoret)                | <i>Taxus baccata</i> (Kozar et al., 1979; Pencheva, 1995)                                                                                                                                                                                                                                                                                                                                |

Some of these families are poorly represented in forests, such as the Cryptococcidae 2 species, Matsucoccidae 2 species, Eriococcidae with 3 species. Based on literature review we present comprehensive checklist of the scale insects associated with forest trees in Bulgaria. The list presented below comprises a total of 56 species from 26 genera and 8 families, namely Diaspididae (25), Coccidae (11), Asterolecaniidae (5), Pseudococcidae (4), Kermesidae (4), Eriococcidae (3), Matsucoccidae (2), Cryptococcidae (2) (Table 1). In the discussion below all species associated with forest trees till 2021 are given.

**Diaspididae:** 25 species belonging to 11 genera. The largest genera are *Diaspidiotus* 8 species, and *Lepidosaphes* and *Leucaspis* with 4 and 3 species respectively. Some *Leucaspis* species notably *Leucaspis lowi*, *Leucaspis pini* and *Leucaspis pusilla*, are mainly restricted to *Pinus* spp., whilst *Diaspidiotus wuenni*, *Diaspidiotus zonatus* and *Targionia vitis* are restricted to *Quercus* spp.

**Coccidae:** 11 species belonging to 5 genera. *Parthenolecanium* with 3 species, *Eulecanium* 3 and *Pulvinaria* and *Physokermes* with 2 species. *Phyllostroma* with 1 species associated with *Picea abies*. Species, such as *Parthenolecanium rufulum*, develop only on *Quercus* and *Ulmus* species.

**Asterolecaniidae:** 5 species in the genus *Asterodiaspis* - *Asterodiaspis bella*, *Asterodiaspis quercicola*, *Asterodiaspis roboris*, *Asterodiaspis variolosa* and *Asterodiaspis repugnans* appear to be restricted to oaks (*Quercus* spp).

**Pseudococcidae:** 4 species in 3 genera. The number

of species in each genus is *Phenacoccus* 2 species, *Pseudococcus* and *Planococcus* all with 1 species. *Phenacoccus* is represented by *Phenacoccus aceris* on *Acer*, *Fraxinus*, *Crataegus*, *Caragana*, *Tilia*, *Quercus* and *Aesculus*, while *Phenacoccus piceae* is restricted to *Picea abies*. Other species such as *Planococcus vovae* and *Pseudococcus viburni* develop only on *Juniperus* and *Taxus* respectively.

**Kermesidae:** 4 species, all in genus *Kermes* - *Kermes gibbosus*, *Kermes. quercus*, *Kermes nakagawae* and *Kermes roboris*, all only known on the genus *Quercus*.

**Eriococcidae:** 3 species belonging to 2 genera, of which 2 species are in the genus *Acanthococcus*. Of the other genera, *Gossyparia* only has *Gossyparia spuria* found on *Ulmus* sp. (Chorbadjiev, 1938; Tsalev, 1968; Kozar et al., 1979). Species are found on forestry trees, such as species of *Acer*, *Quercus* and *Ulmus*.

**Cryptococcidae:** 2 species belonging to 2 genera. *Cryptococcus* is only represented by *Cryptococcus fagisuga* on *Fagus* sp. (Tsalev, 1968) and the only recorded species of *Pseudochermes*, *P. fraxini*, is only known off *Fraxinus* sp. (Chorbadjiev, 1938) and *Fraxinus excelsior* (Tsalev, 1968; Kozar et al., 1979).

**Matsucoccidae:** 2 species in genus *Matsucoccus* - *Matsucoccus feytaudi* and *Matsucoccus pini*, both on *Pinus nigra*.

#### ACKNOWLEDGEMENTS

Financial support for this study was provided by the



bilateral Russian-Bulgarian research grant no. KP-06-Russia-18 from the National Science Fund of Bulgaria (Ministry of Education and Science).

#### AUTHOR CONTRIBUTION STATEMENT

Trencheva K conceptualized and framed the research proposal, Grozeva S corrected draft. All authors read and approved the manuscript.

#### CONFLICT OF INTEREST

No conflict of interest.

#### REFERENCES

- Allen C D, Macalady A K, Chenchouni H, Bachelet D, McDowell N, Vennetier M, et al., 2010. A global overview of drought and heat-induced tree mortality reveals emerging climate change risks for forests. *For. Ecol. Manage* 259: 660-684.
- Brockerhoff EG, Liebhold AM, 2017. Ecology of forest insect invasions. *Biol. Invasions* 19: 3141-3159.
- Buresh I, Lazarov A. 1956. Vrednite nasekomi za selskoto i gorskoto stopanstvo v Bulgaria. *Trudove na Zoologicheskia Institut, BAN, Sofia*. 289 pp.
- Chorbadjiev P, 1938. Kratuk spisuk na shtitonosite vushki (Coccidae, Rhynchota) v Bulgaria. *Izvestia na bulgarskoto entomologichno drujestvo* 10: 88-90.
- Dale V H, Joyce L A, McNulty S, Neilson R P, Ayres M P, Flannigan M D et al. 2001. Climate change and forest disturbances: Climate change can affect forests by altering the frequency, intensity, duration, and timing of fire, drought, introduced species, insect and pathogen outbreaks, hurricanes, windstorms, ice storms, or landslides. *Bioscience* 51: 723-73.
- Debach P, Rosen D. 1976. Armored scale insects. In *Studies in Biological Control*. V.L., Delucchi (ed.). Cambridge University Press, London, England. pp. 139-178.
- Droz A T, 1985. Insects of Eastern Forests. Miscellaneous Publication 1426. U.S. Department of Agriculture, Forest Service, Washington D.C.
- Ellison A M, Bank M S, Clinton B D, Colburn E A, Elliott K, Ford C R et al. 2005. Loss of foundation species: Consequences for the structure and dynamics of forested ecosystems. *Frontiers in Ecology and Environment* 3: 479-486.
- Foldi I. 2005. The Matsucoccidae in the Mediterranean basin with a world list of species. (Hemiptera; Sternorrhyncha; Coccoidea). *Annales de la societi Entomologique France* 40(2): 145-168.
- Frank S D. 2019. A survey of key arthropod pests on common Southeastern street trees. *Arboric. Urban Forster* 45: 155-166.
- Frank S D. 2021. Review of the direct and indirect effects of warming and drought on scale insect pests of forest systems. *Forestry* 94: 167-180.
- García Morales M, Denno B, Miller Dr, Miller G I, Ben-Dov Y, Hardy N B. 2016. ScaleNet: a literature-based model of scale insect biology and systematics. <http://scalenet.info>
- Gavrilov A. 2010. Description of two new species of Pseudococcidae (Homoptera Coccinea) and additions to the scale insect fauna of Bulgaria. *Zootaxa* 2635: 32-40.
- Georgiev G, Mirchev P, Boyadzhiev P, Trencheva K. 2012. *Habrolepis montenegrina* (Hymenoptera: Encyrtidae) and *Epidiaspis gennadii* (Hemiptera: Diaspididae) – a New Parasitoid-host Relationship and New Species for Bulgarian Fauna. *Acta Zoologica Bulgarica* 64(3): 327-328.
- Gill R J, Kosztarab M. 1997. Pest status of soft scale insects; economic importance. *World crop pests-soft scale insects-their biology, natural enemies and control*. Y., Ben-Dov, C.J., Hodgson (eds.). Vol. 7. Elsevier. pp. 161-163.
- Grigorov S. 1976. *Specialna entomologia*. Zemizdat, Sofia, 545 pp.
- Hodgson CJ, Trencheva K. 2008. A new species of *Eriococcus* (Hemiptera: Sternorrhyncha: Coccoidea: Eriococcidae) and redescription of *Eriococcus roboris* Goux and *E. thymelaeae* Newstead, with a key to the *Eriococcus* species on *Quercus* in the western Palaearctic. *Zootaxa* 1959: 1-38.
- Kozar F, Tzalev M, Viktorin R A, Horvath J. 1979. New data to the knowledge of the scale insects of Bulgaria (Homoptera: Coccoidea). *Folia Entomologica Hungarica* 32: 129-132.
- Lazarov A. 1940. *Prouchvania vurhu ploskite shtitonosni vushi* (Diaspinae, Coccidae) po ovoshtnite durveta u nas. *Zemizdat, Sofia*. 46 pp.
- Lazarov A, Grigorov S. 1960. *Nov nepriatel po iabulkata u nas Phenacoccus aceris* Geoffr. i borbata s nego. *Izvestia na Zoologicheskia Institut, kn. IX*, 53-69.
- Mazzeo G, Longo S, Pellizzari G, Porcelli F, Suma P, Russo A. 2014. Exotic scale insects (Coccoidea) on ornamental plants in Italy: A neverending story. *Acta Zoologica Bulgarica* 6: 55-61.
- Mcgee GG. 2000. The contribution of beech bark disease-induced mortality to coarse woody debris loads in northern hardwood stands of Adirondack Park, New York, USA. *Canadian Journal of Forestry Research* 30: 1453-1462.
- Miller D R, Miller G L, Hodges G S, Davidson J A. 2005. Introduced scale insects (Hemiptera: Coccoidea) of the United States and their impact on US agriculture. *Proc. Entomol. Soc. Wash.* 107: 123-158.
- Morin RS, Liebhold AM. 2015. Invasions by two non-native insects alter regional forest species composition and successional trajectories. *For. Ecol. Manage* 341: 67-74.
- Pencheva A. 1995. On the species structure and significance on the scale insects (Homoptera, Coccinea) in the greenhouses in Bulgaria. *Forestry Ideas* 3-4: 141-151.
- Pencheva A. 2000. Study on the species of genus *Leucaspis* (Homoptera: Diaspididae) in Bulgaria. *Forest Science* 2/3: 71-84.
- Pencheva A. 2007. New and little known pests in the greenhouses for ornamental plants in Bulgaria. *Acta Entomologica Bulgarica*. 13, 3/4, 35-43.
- Preisser E L, Lodge A G, Orwig D A, Elkinton J S. 2008. Range expansion and population dynamics of co-occurring invasive herbivores. *Biol. Invasions* 10: 201-213.
- Ruskov M. 1928. *Niakoi vredni za nashite gori nasekomi konstatirani prez 1927 godina*. *Izvestia na bulgarskoto entomologichno druestvo* 4: 57-64.
- Schulz A N, Mech A M, Asaro C, Coyle D R, Cram M M, Lucardi R D, et al., 2018. Assessment of abiotic and biotic factors associated with eastern white pine (*Pinus strobus* L.) dieback in the southern Appalachian Mountains. *For. Ecol. Manage* 423: 59-69.
- Stanev M. 1963. Studies on the biology and on the control of *Quasraspidiotus perniciosus* Comstock in Bulgaria. *Bulletin of the Institute of Plant Protection* 5: 5-27.
- Stanev M. 1964. *Novi vidove shtitonosni vushki* (Homoptera, Coccoidea) za faunata na Bulgaria. *Priroda* 1: 80-82.

- Staneva E. 1992. Host plants and damage of the mulberry scale *Pseudaulacaspis pentagona* Targ. (Homoptera: Diaspididae) in Bulgaria. Agricultural Science, vol. XXX, N 4-6, 67-73.
- Staneva E. 2003. Scale insects (Homoptera: Coccoidea) from the region of Petrich and Sandanski. Acta Entomologica 5-10.
- Trenchev G. 1987. Biologichni osobenosti na *Lepidosaphes malicola* Borchs. (Homoptera, Diaspididae) i sredstva za borba s neia. 1-173. (PhD thesis).
- Trencheva K, Gounari S, Trenchev G, Kapaxidi E, 2009. The Coccoidea on *Quercus* (Fagaceae) in Bulgaria and Greece, with particular reference to their importance as honeydew-producing insects. Entomological News 120(2): 216-222.
- Trencheva K, Trenchev G, Tomov R, Wu S. A. 2010. Non-indigenous scale insects on ornamental plants in Bulgaria and China: A survey. Entomologia Hellenica 19: 114-123.
- Trencheva K, Trenchev G, Tomov R, Ivanova S, Wu S. A. 2012. The scale insects (Hemiptera: Coccoidea) in Bulgaria. AS OOD, Sofia. 60 pp.
- Trencheva K, Tomov R. 2014. Checklist of Scale Insects in Bulgaria (Hemiptera, Coccoidea). Acta Zoologica Bulgarica Suppl. 6: 65-72.
- Tsalev M, Vulcheva M. 1963. Danni vurhu biologiatia i sredstvata za borba sreshtu dubovata blestiashta shtitonosna vushka (*Asteradiaspis variolosa* Ratzeburg) v Bulgaria. Rastitelna Zashtita 9: 24-29.
- Tsalev M, Vulcheva M. 1965. Sredstva za borba sreshtu dubovata shtitonosna vushka. Gorsko Stopanstvo 3: 21-24.
- Tsalev M. 1968. Prinos kum prouchvane faunata na shtitonosnite vushki (Homoptera, Coccidea) po parkovite i ukrasnite rastenia v Bulgaria. Izvestia na Zoologicheskia Institut s Muzei 28: 205-218.

(Manuscript Received: October, 2023; Revised: October, 2023;

Accepted: December, 2023; Online Published: January, 2024)

Online First in [www.entosocindia.org](http://www.entosocindia.org) and [indianentomology.org](http://indianentomology.org) Ref. No. e24715